

BLANK PAGE



Indian Standard

SPECIFICATION FOR SHIPS' ORDINARY RECTANGULAR WINDOWS

PART VI DETAILS OF FRAME, INWARD OPENING, SIDE HINGED, LIGHT TYPE BOLTED WINDOWS

- 1. Scope Specifies dimensions of frame for inward opening, side hinged, light type bolted windows.
- 1.1 This standard applies to both left and right hand opening windows.
- 2. Terminology For the purpose of this standard, the terms and definitions given in IS: 8886 (Part I)-1978 'Specification for ships' ordinary rectangular windows: Part I Types and dimensions' shall apply.
- 3. Material The material used for the construction of frame shall be according to IS:8886 (Part II)-1978 'Specification for ships' ordinary rectangular windows: Part II General requirements'.

4. Dimensions

- 4.1 The dimensions of frame shall be as given in Table 1. For main dimensions of windows, see IS: 8886 (Part I)-1978.
- 4.2 The position of hinges and securing holes on the frame shall be according to IS: 8886 (Part IV)-1980 'Specification for ships' ordinary rectangular windows: Part IV Details of position of lugs for hinges and swing bolts and securing holes on the frame '.
- 5. Tolerances The tolerances on dimensions shall conform to coarse series of IS: 2102-1969 'Allowable deviations for dimensions without specified tolerances (*first revision*)' except on those dimensions indicated in Table 1.

Adopted 29 February 1980

© May 1980, ISI





TABLE 1 DIMENSIONS OF FRAMES FOR LIGHT TYPE BOLTED WINDOW

(Clauses 4.1 and 5)

All dimensions in millimetres.



Window No.	Nominal w ₁ ×	Size h ₁	W ₂	×	h ₂	r ₃	T ₃	Minimum Number of Closing Devices
1	300 ×	425	328	×	453	64	7	2
2	355 ×	500	383	×	528	64	7	2
3	400 ×	560	426	×	588	64	8	2
4	450 ×	630	478	×	658	114	8	2
. 5	50 0 ×	710	528	×	738	114	10	4
6	560 ×	800	588	×	8 28	114	10	. 4

EXPLANATORY NOTE

This standard is one of a series of Indian Standards on ships' rectangular windows. Other standards in the series are:

- Part I Types and dimensions
- Part II General requirements
- Part III Positioning
- Part IV Details of position of lugs for hinges and swing bolts and securing holes on the frame
- Part V Details of frame, inward opening, side hinged, heavy type bolted windows
- Part VI Details of frame, inward opening, side hinged, light type bolted windows
- Part VII Details of frame, inward opening, side hinged, heavy and light type welded windows
- Part VIII Details of frame, inward opening, top hinged, heavy type bolted windows
- Part IX Details of frame, inward opening, top hinged, light type bolted windows
- Part X Details of frame, inward opening, top hinged, heavy and light type welded windows
- Part XI Details of frame, non-opening, heavy type bolted windows
- Part XII Details of frame, non-opening, light type bolted windows
- Part XIII Details of frame, non-opening, heavy type welded windows
- Part XIV Details of frame, non-opening, light type welded windows
- Part XV Details of frame, outward opening, side hinged, heavy type bolted windows
- Part XVI Details of frame, outward opening, side hinged, light type bolted windows
- Part XVII Details of frame, outward opening, side hinged, heavy and light type, welded windows
- Part XVIII Details of glass holder, inward opening, side hinged, heavy and light type bolted and welded windows
- Part XIX Details of glass holder, outward opening, side hinged, heavy and light type bolted and welded windows
- Part XX Details of glass holder, top hinged, heavy and light type bolted and welded windows
- Part XXI Details of hinged pin
- Part XXII Details of swing bolts and wing nuts

In the preparation of this standard assistance has been derived from the following:

ISO 3903 - 1977 Shipbuilding — Ships' ordinary rectangular windows. International Organization for Standardization (ISO).

DIN 81650 - 1967 Rectangular windows for ships, directives for construction. Deutsches Institut für Normung.